



BALL TAP FOR FF AND MF GAS

Model in brass, with T-handle closing

Product informations

Brass ball tap for gas FF and MF with T-handle closing, designed for gas distribution systems with medium and low pressure.

TAP STRUCTURE	
UNIT	BRASS CW 617N - UNI EN 12165/98
SLEEVE	BRASS - CW 617N - UNI EN 12165/98
BALL	CHROME PLATED BRASS - CW 617N - UNI EN 12165/98
BALL SEATS	PTFE
BEAM	BRASS - CW 614N - UNI EN 12164/98
O-RING SEAL	• NBR (SKU 3101F / 3102F / 3103F / 3111 / 3112 / 3113 / 3114) • HNBR (SKU 3104F / 3115)
T-HANDLE CLOSING	PAINTED ALUMINUM
SCREW	GALVANIZED STEEL
ANTI-FRICTION RING	PTFE

Technical Features

OPERATING TEMPERATURE	- 20°C ÷ + 60°C
-----------------------	-----------------



Ball Tap for FF and MF Gas

OPERATING PRESSURE	4 BAR
PASSAGE	TOTAL (MUST BE USED IN FULLY OPEN OR CLOSED POSITION)
CONNECTION	FF OR MF (THREAD UNI EN ISO 7/1 RP)
CERTIFICATION	DVGW (EXCEPT SKU 3102F / 3103F / 3104F / 3115)

SKU	MODEL	PRICE
00000003111	MF BALL TAP - 1/4"	€12.2 VAT EXCLUDED
00000003112	MF BALL TAP - 3/8"	€11.8 VAT EXCLUDED
00000003113	MF BALL TAP - 1/2"	€13.4 VAT EXCLUDED
00000003114	MF BALL TAP - 3/4"	€20.45 VAT EXCLUDED
00000003115	MF BALL TAP - 1"	€27.9 VAT EXCLUDED
0000003101F	FF BALL TAP - 3/4"	€10.65 VAT EXCLUDED
0000003102F	FF BALL TAP - 1/2"	€11.8 VAT EXCLUDED
0000003103F	FF BALL TAP - 3/4"	€15.75 VAT EXCLUDED
0000003104F	FF BALL TAP - 1"	€26.25 VAT EXCLUDED





Ball Tap for FF and MF Gas

