



Catalogues and Products > Heating > Boxes and Doors for Gas Meters > **Box for Gas Meters**

BOX FOR GAS METERS

Box for gas meters with fiberglass door

Product informations

Box for gas meters with anti-UV treated fiberglass door, frame and structure in galvanized sheet metal; designed to house gas measuring units with a volumetric flow rate up to 6 m³/h.

Product features

- galvanized sheet metal body and embossed SMC access door (bass-relief texture)
- RAL 7001 gray colour
- excellent mechanical resistance to impact, atmospheric agents and UV rays
- opening and closing of the box through the 1/4 turn lock, with the supplied square profile key
- easy, fast and safe assembly thanks to the folding flap system
- backrest included
- *it can be installed on the wall, inside a niche or fixed to a fence, thanks to the components with rounded edges to ensure maximum safety when using the product*

Furthermore, our products are supplied in assembly kits enclosed in a practical cardboard box which optimizes storage space and protects boxes and doors from dents and scratches.

Technical Features

SKU 50850	
COMPONENT MATERIAL	SMC



Box for Gas Meters

SKU 50850	
FIRE REACTION CLASS	1 ACCORDING TO UNI 9177
COLORING	RAL 7001
DEGREE OF PROTECTION	IP 20 (NOT PROTECTED AGAINST THE INGRESS OF LIQUIDS, ONLY PROTECTED AGAINST THE INGRESS OF SOLID OBJECTS LARGER THAN Ø 12 MM), ACCORDING TO CEI 60529
IMPACT RESISTANCE	IK 08 ACCORDING TO CEI 62262
VENTILATION SECTION	11 000 MM ²
RADIO FREQUENCY ATTENUATION	< 2 DBM
FRAME DIMENSIONS	560 X 325 X 300 MM
DOOR DIMENSIONS	520 X 290 MM
WEIGHT	4,00 KG

SKU 50853	
DOOR MATERIAL	SMC - FIBERGLASS
FIRE REACTION CLASS	≤ 1 ACCORDING TO UNI 9177
COLORING	RAL 7001
BATTERY INSTALLATION	SUITABLE
IMPACT RESISTANCE	IK 10 ACCORDING TO CEI 62262
VENTILATION SECTION	≥ 10% PLAN AREA



Box for Gas Meters

SKU 50853	
RADIO FREQUENCY ATTENUATION	≤ 2 DBM
FRAME DIMENSIONS	560 X 405 X 300 MM
DOOR DIMENSIONS	520 X 290 MM
WEIGHT	7,00 KG

SKU 50856	
DOOR MATERIAL	SMC - FIBERGLASS
FIRE REACTION CLASS	≤ 1 ACCORDING TO UNI 9177
COLORING	RAL 7001
BATTERY INSTALLATION	SUITABLE
IMPACT RESISTANCE	IK 10 ACCORDING TO CEI 62262
VENTILATION SECTION	≥ 10% PLAN AREA
RADIO FREQUENCY ATTENUATION	≤ 2 DBM
FRAME DIMENSIONS	630 X 520 X 300 MM
DOOR DIMENSIONS	585 X 490 MM
WEIGHT	10,70 KG

SKU	MODEL	PRICE
00000050850	BOX - 560 X 325 X 300 MM - 4,00 KG	€131.6 VAT EXCLUDED
00000050853	BOX - 560 X 405 X 300 MM - 7,00 KG	€196.25 VAT EXCLUDED
00000050856	BOX - 630 X 520 X 300 MM - 10,70 KG	€273.0 VAT EXCLUDED



Box for Gas Meters

