



Catalogues and Products > Riscaldamento > Contatori Gas, Mensole e Accessori per Contatori > **Deformable Side Volumetric Gas Meter**

DEFORMABLE SIDE VOLUMETRIC GAS METER

Class G 16 – G 25 - G 40 - G 65

Product informations

Volumetric gas meter with the ability to operate correctly in different flow rates and offer precise measurement; indeed, unlike other domestic meters, this meter is able to account for even the most significant flow rates.

Also available the cable with REED for pulse emitter.

Technical Features

MEASURING PRESSURE	36 MBAR
METROLOGICAL APPROVALS	MID CLASS 1,5
TRANSITION CAPACITY	• Q_{MAX} 25 M³/H - SKU 50403 • Q_{MAX} 40 M³/H - SKU 50404 • Q_{MAX} 65 M³/H - SKU 50405 • Q_{MAX} 100 M³/H - SKU 50405A
OPERATING PRESSURE	0 ÷ 500 MBAR
OPERATING TEMPERATURE	- 25°C ÷ + 55°C
INLET CONNECTION	• 2" M - SKU 50403 • 2 1/2" M - SKU 50404 • DN 80 FL - SKU 50405 • DN 80 FL - SKU 50405A



Deformable Side Volumetric Gas Meter

OUTPUT CONNECTION	• 2" M - SKU 50403 • 2 1/2" M - SKU 50404 • DN 80 FL - SKU 50405 • DN 80 FL - SKU 50405A
MATERIAL	SHEET METAL CASE

SKU	MODEL	PRICE
00000050403	VOLUMETRIC GAS METER WITH DEFORMABLE SIDE G 16 CLASS - 2" M CONNECTIONS	€934.5 VAT EXCLUDED
00000050404	VOLUMETRIC GAS METER WITH DEFORMABLE SIDE G 25 CLASS - 2" 1/2 M CONNECTIONS	€1512.0 VAT EXCLUDED
00000050405	VOLUMETRIC GAS METER WITH DEFORMABLE SIDE G 40 CLASS - DN 80 FL CONNECTIONS	€3927.0 VAT EXCLUDED
0000050405A	VOLUMETRIC GAS METER WITH DEFORMABLE SIDE G 65 CLASS - DN 80 FL CONNECTIONS	€4851.0 VAT EXCLUDED





Deformable Side Volumetric Gas Meter