



Catalogues and Products > Heating > Gas Taps and Valves > **FF Gas Ball Tap**

FF GAS BALL TAP

Model in Brass, with Full Passage and Seal Brass Cap

Product informations

Brass ball tap for FF gas with full passage and seal brass cap, designed for medium and low pressure gas distribution systems.

TAP STRUCTURE	
UNIT	NICKEL PLATED BRASS CW 617N - UNI EN 12165/98
SLEEVE	NICKEL PLATED BRASS - CW 617N - UNI EN 12165/98
BALL	CHROME PLATED BRASS - CW 617N - UNI EN 12165/98
BALL SEAT	PTFE
BEAM	BRASS - CW 614N - UNI EN 12164/98
O-RING SEAL	HNBR
OPERATING CAP	ALUMINIUM ALLOY
PROTECTIVE CAP	ABS
SCREW	STEEL

Technical Features

OPERATING TEMPERATURE	- 20°C ÷ + 60°C
-----------------------	-----------------



FF Gas Ball Tap

OPERATING PRESSURE	20 BAR
PASSAGE	TOTAL (MUST BE USED IN FULLY OPEN OR CLOSED POSITION)
CONNECTION	FF (THREAD UNI EN ISO 7/1 RP)

SKU	Ø CONNECTION	DN	HEIGHT (H)	CAP LENGTH (L)	TAP LENGTH (L1)	CH
3180	1/2"	Ø 15 MM	45 MM	29 MM	63 MM	26 MM
3181	3/4"	Ø 20 MM	49 MM	29 MM	71 MM	31 MM
3182	1"	Ø 25 MM	56 MM	33 MM	83 MM	38 MM
3183	1" 1/4	Ø 32 MM	61 MM	33 MM	92 MM	48 MM
3184	1" 1/2	Ø 40 MM	75 MM	44 MM	104 MM	55 MM
3185	2"	Ø 50 MM	82 MM	44 MM	124 MM	68 MM

SKU	MODEL	PRICE
00000003180	FF BALL TAP - 1/2"	€20.55 VAT EXCLUDED
00000003181	FF BALL TAP - 3/4"	€24.75 VAT EXCLUDED
00000003182	FF BALL TAP - 1"	€38.25 VAT EXCLUDED
00000003183	FF BALL TAP - 1" 1/4	€54.85 VAT EXCLUDED
00000003184	FF BALL TAP - 1" 1/2	€69.95 VAT EXCLUDED
00000003185	FF BALL TAP - 2"	€121.45 VAT EXCLUDED



FF Gas Ball Tap

