



REDUCING GROUP FOR METHANE GAS

Double line version complete with shut-off valve

Product informations

Reduction group for methane gas in double line, complete with shut-off valve.

*Possibility of supplying the group mounted on skid(**skid cost to add up**).*

STRUCTURE OF THE REDUCTION GROUP	
1	• BALL VALVE - SKU 13116 • BUTTERFLY VALVE - SKU 13117
2	• CARTRIDGE FILTER G 0,5 - SKU 13116 • CARTRIDGE FILTER G 1 - SKU 13117
3	• PRESSURE REGULATOR ALFA 20 MODEL - SKU 13116 • PRESSURE REGULATOR ALFA 40 MODEL - SKU 13117
4	PRESSURE GAUGE
5	STEEL NEEDLE TAP
6	DISCHARGE BALL VALVE
7	BUTTERFLY VALVE
8	SHUT-OFF VALVE
9	RELIEF VALVE



Technical Features

SKU 13116	
Q	70 ÷ 200 M ³ /H
INLET CONNECTION	DN 50
OUTPUT CONNECTION	DN 80
INLET PRESSURE	0,5 ÷ 5 BAR
OUTPUT PRESSURE	TO REQUEST
TPOLOGY OF REGULATOR	ALFA 20 MODEL - CONNECTIONS 1" - 1" 1/2
TYPE OF PRESSURE GAUGE	Ø 60 - RADIAL CONNECTION 1/4"
BALL VALVE	DN 25 - PN 40
CARTRIDGE FILTER	G 0.5 - DN 25 / 1" CONNECTIONS - PN 16
STEEL NEEDLE TAP	1/4" - PN 40
DISCHARGE BALL VALVE	1/4" - PN 40
BUTTERFLY VALVE	DN 50 - PN 16
MAX PRESSURE SHUT-OFF VALVE	OPSO
RELIEF VALVE	1"
LENGTH	840 MM (A)
SKID MODEL	SKID SUPPORT SK 12 MODEL



Reducing Group for Methane Gas

SKU 13117	
Q	180 ÷ 400 M ³ /H
INLET CONNECTION	DN 50
OUTLET CONNECTION	DN 80
INLET PRESSURE	0.5 ÷ 5 BAR
OUTPUT PRESSURE	UPON REQUEST
TYPOLOGY OF REGULATOR	MOD. ALFA 40 - DN 40 CONNECTIONS
TYPE OF PRESSURE GAUGE	Ø 60 - RADIAL CONNECTION 1/4"
BUTTERFLY VALVE	DN 50 PN 16 AND DN 80 PN 16
CARTRIDGE FILTER	G 1 - CONNECTIONS DN 25 / DN 40 - PN 16
STEEL NEEDLE VALVE	1/4" - PN 40
PURGE BALL VALVE	1/4" - PN 40
MAX PRESSURE SHUT-OFF VALVE	OPSO
OVERFLOW VALVE WITH SHUT-OFF	1"
LENGTH	950 MM (A)
SKID MODEL	SKID SUPPORT MOD. SK 16

SKU	MODEL	PRICE
00000013116	REDUCING GROUP FOR METHANE GAS IN DOUBLE LINE - Q 70 ÷ 200 M3/H	€6891.75 VAT EXCLUDED



Reducing Group for Methane Gas

SKU	MODEL	PRICE
00000013117	REDUCING GROUP FOR METHANE GAS IN DOUBLE LINE - Q 180 ÷ 400 M3/H	€12002.95 VAT EXCLUDED

