



Meter for Hot or Overheated Water Applications

Catalogues and Products > Riscaldamento > Contatori per Acqua > **Meter for Hot or Overheated Water Applications**

METER FOR HOT OR OVERHEATED WATER APPLICATIONS

Volume meter suitable for applications with hot or overheated water

Product informations

Hot water meter with dry dial with 8 numbered rolls.

Product features

- horizontal installation only
- standard nominal pressure PN 16
- built with specific materials with high resistance to wear and corrosion
- equipped with read-switch pulse emitter cable with standard pulse weight K=10 for connection to a separate thermal energy calculation unit
- with multiple jet turbine, magnetic transmission
- MID homologated

Technical Features

SKU 70525	
MAX CAPACITY	3 M ³ /H
NORMAL CAPACITY	1,5 M ³ /H
MINIMUM CAPACITY	30 L/H



Meter for Hot or Overheated Water Applications

SKU 70525	
MINIMUM READING	0,05 L/H
MAX PRESSURE	16 BAR
WORKING TEMPERATURE	130°C
DIAMETER	Ø 1/2"
LENGTH	245 MM

SKU 70526	
MAX CAPACITY	5 M ³ /H
NORMAL CAPACITY	2,5 M ³ /H
MINIMUM CAPACITY	50 L/H
MINIMUM READING	0,05 L/H
MAX PRESSURE	16 BAR
WORKING TEMPERATURE	130°C
DIAMETER	Ø 3/4"
LENGTH	288 MM

SKU 70527	
MAX CAPACITY	7 M ³ /H
NORMAL CAPACITY	3,5 M ³ /H
MINIMUM CAPACITY	70 L/H



Meter for Hot or Overheated Water Applications

SKU 70527	
MINIMUM READING	0,05 L/H
MAX PRESSURE	16 BAR
WORKING TEMPERATURE	130°C
DIAMETER	Ø 1"
LENGTH	378 MM

SKU	MODEL	PRICE
00000070525	METER FOR HOT OR OVERHEATED WATER - L. 245 MM - Ø 1/2"	€488.9 VAT EXCLUDED
00000070526	METER FOR HOT OR OVERHEATED WATER - L. 288 MM - Ø 3/4"	€504.55 VAT EXCLUDED
00000070527	METER FOR HOT OR OVERHEATED WATER - L. 378 MM - Ø 1"	€587.65 VAT EXCLUDED

