



POTABLE WATER REFINING DEVICE

Model PURO 20

Product informations

Filtering system for the refinement of potable water and the elimination of chlorine, unpleasant odors and tastes present in the water, the reduction of pollutants and the elimination of microorganisms.

Available in the version with block litre-counter only (SKU 70883), or with block litre-counter and antibacterial system (SKU 70884).

Technical Features

SKU 70883	
HEAD MATERIAL AND GLASSES	REINFORCED POLYPROPYLENE
MATERIAL BLOCK METERS	POLYPROPYLENE
POWER SUPPLY	220 V 50 HZ
ELECTRIC ABSORPTION	12 WATT
CARTRIDGE HEIGHT	10"



Potable Water Refining Device

<i>SKU 70883</i>	
<i>MATERIALS</i>	SELECTED MATERIALS, SUITABLE FOR POTABLE WATER • POLYETHYLENE QUICK-CONNECT CONNECTION PIPES • ACETYL RESIN QUICK-CONNECT FITTINGS • DEDICATED BRASS TAP CW 614 N CHROMED ON THE OUTSIDE
<i>DIMENSIONS</i>	410 X 280 X 200 MM (AXBXC)

<i>SKU 70884</i>	
<i>HEAD MATERIAL AND GLASSES</i>	REINFORCED POLYPROPYLENE
<i>MATERIAL BLOCK METERS</i>	POLYPROPYLENE
<i>DEBACTERIALIZER</i>	ULTRAVIOLET LAMP, UNIT IN POLISHED AISI 304 STAINLESS STEEL
<i>POWER SUPPLY</i>	220 V 50 HZ
<i>ELECTRIC ABSORPTION</i>	12 WATT
<i>MAX WORKING PRESSURE</i>	7 BAR
<i>MAX WORKING TEMPERATURE</i>	25°C
<i>CARTRIDGE HEIGHT</i>	10"



Potable Water Refining Device

SKU 70884	
MATERIALS	SELECTED MATERIALS, SUITABLE FOR POTABLE WATER • POLYETHYLENE QUICK- CONNECT CONNECTION PIPES • ACETYL RESIN QUICK- CONNECT FITTINGS • DEDICATED BRASS TAP CW 614 N CHROMED ON THE OUTSIDE
DIMENSIONS	410 X 370 X 200 MM (AXBXC)

MAINTENANCE	
CARTRIDGE IN PLASTIC MESH	WASH EVERY 3 MONTHS
CARTRIDGE IN ACTIVATED CARBON	REPLACE EVERY 3500 LITERS OF WATER PRODUCED, IN CASE OF LOWER CONSUMPTION, REPLACE EVERY 6 MONTHS OR WHENEVER THE APPLIANCE REMAINS IDLE FOR A LONG TIME
UV LAMP	REPLACE EVERY 9000 HOURS AND/OR ONCE A YEAR

SKU	MODEL	PRICE
00000070833	PURO 20 C-SE	€5.05 VAT EXCLUDED
00000070884	PURO 20 C-SE UV WITH ANTIBACTERIAL	€980.8 VAT EXCLUDED



Potable Water Refining Device

