



Catalogues and Products > Riscaldamento > Regolatori Gpl Alta e Bassa Pressione per Applicazioni Civili-industriali > **High Pressure Regulator**

# HIGH PRESSURE REGULATOR

Model APZ 25, flow rate 25 kg/h

## Product informations

High pressure regulator **Mod. APZ 25** complete with pressure gauge and safety valve, designed to make the gas pressure at the outlet of a tank suitable for the downstream user.

## Technical Features

|                              |                                                                                                                                                  |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TYPES OF GAS</b>          | LPG                                                                                                                                              |
| <b>FLOW RATE</b>             | 25 KG/H                                                                                                                                          |
| <b>OPERATING TEMPERATURE</b> | - 20°C ÷ + 50°C                                                                                                                                  |
| <b>INLET PRESSURE</b>        | <ul style="list-style-type: none"> <li>• 1 ÷ 16 BAR (<b>SKU 930</b>)</li> <li>• 2 ÷ 16 BAR (<b>SKU 932</b>)</li> </ul>                           |
| <b>SAFETY VALVE SETTING</b>  | 2,5 ÷ 3 BAR                                                                                                                                      |
| <b>GAUGE PRESSURE RANGE</b>  | 0 ÷ 6 BAR                                                                                                                                        |
| <b>OUTLET PRESSURE</b>       | <ul style="list-style-type: none"> <li>• 0,5 BAR - FIXED SETTING (<b>SKU 930</b>)</li> <li>• 1,5 BAR - FIXED SETTING (<b>SKU 932</b>)</li> </ul> |
| <b>CONNECTION</b>            | IN LEFT NUT CH 25 H16 - OUT 3/8" F                                                                                                               |



## High Pressure Regulator

### MATERIALS

- BODY: BRASS FOR PRESSING AND EUROPEAN STANDARD EN CV 617
- COVER: ZAMAK PAINTED WITH EPOXY POWDERS AND BURNT AT 180°C
- MEMBRANE: APPROVED NBR RUBBER REINFORCED WITH POLYESTER CANVAS

| SKU         | MODEL                                                                                                                       | PRICE                 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 00000000930 | HIGH PRESSURE REGULATOR APZ 25 MODEL - IN LEFT NUT<br>CH 25 H16 - OUT 3/8" F - FLOW RATE 25 KG/H - FIXED<br>SETTING 0,5 BAR | €79.1 VAT<br>EXCLUDED |
| 00000000932 | HIGH PRESSURE REGULATOR APZ 25 MODEL - IN LEFT NUT<br>CH 25 H16 - OUT 3/8" F - FLOW RATE 25 KG/H - FIXED<br>SETTING 1,5 BAR | €82.8 VAT<br>EXCLUDED |





## High Pressure Regulator

