



Catalogues and Products > Riscaldamento > Filtri, Valvole Ed Elettrovalvole per Gasolio > **Safety Valves Mod. VIC**

SAFETY VALVES MOD. VIC

Positive action

Product informations

Valves not activated by external energy, built in order to intercept the flow of fuel to the burner to prevent the temperature of the water in the system delivery circuit from reaching the burner temperature.

The valve is closed by:

- drilling or cutting of the capillary and/or the sensor bulb, being positive action valves in this case it is not possible to reactivate the valve
- raising the water temperature until reaching the calibration point of 98°C (+ 0 - 5°C), in this case it is possible to reactivate the valve only if the temperature drops to at least 87°C ± 2°C

Technical Features

USE	GAS OF THE 3 FAMILIES, DIESEL AND FUEL OIL
CALIBRATION TEMPERATURE	98°C (+ 0 - 5°C)
MAXIMUM WORKING PRESSURE	1 BAR
OPERATING TEMPERATURE	- 15°C ÷ + 70°C



Safety Valves Mod. VIC

CAPILLARY LENGTH	5 M
MECHANICAL RESISTANCE	GROUP 2 (ACCORDING TO EN 13611:2007)
SEAL PARTS	NBR RUBBER AND VITON FKM(UNI ISO 4658)
WELL CONNECTION	G 1/2"
RP THREADED CONNECTIONS	DN 15 - DN 20 - DN 25 - DN 32 - DN 40 - DN 50
FLANGED CONNECTIONS PN 16	DN 65 - DN 80 - DN 100 - DN 125 - DN 150

SKU	MODEL	PRICE
00000070205	VIC08 VALVE - DN 65 - FLANGED VERSION	€1311.7 VAT EXCLUDED
00000070206	VIC09 VALVE - DN 80 - FLANGED VERSION	€1435.45 VAT EXCLUDED
00000070207	VIC10 VALVE - DN 100 - FLANGED VERSION	€2539.5 VAT EXCLUDED
00000070209	VIC11 VALVE - DN 125 - FLANGED VERSION	€7374.4 VAT EXCLUDED
00000070210	VIC12 VALVE - DN 150 - FLANGED VERSION	€8517.55 VAT EXCLUDED
00000070220	VIC02 VALVE - DN 15	€361.9 VAT EXCLUDED
00000070221	VIC03 VALVE - DN 20	€361.9 VAT EXCLUDED
00000070222	VIC04 VALVE - DN 25	€408.4 VAT EXCLUDED
00000070223	VIC05 VALVE - DN 32	€522.2 VAT EXCLUDED
00000070224	VIC06 VALVE - DN 40	€573.4 VAT EXCLUDED
00000070225	VIC07 VALVE - DN 50	€665.5 VAT EXCLUDED



Safety Valves Mod. VIC

